



## Lohxa – Recall of senna syrup

- On January 11, 2022, [Lohxa announced](#) a consumer level recall of one lot of [senna syrup](#) 8.8 mg/5 mL unit dose cups due to microbial contamination.
- The recalled lot was to AvKare (wholesaler) who may have further distributed this to clinics, hospitals, and healthcare providers.

Product Description	NDC	Lot # (Expiration Date)
Senna syrup 8.8 mg/5 mL unit dose cups	50268-731-24	AM1115S (1/2023)

- Senna syrup is used to relieve occasional constipation.
- Use of contaminated product by the elderly, patients with a weakened immune system, or patients at a higher risk of developing life-threatening inflammation of the heart, could result in infections that could be life-threatening.
- To date, Lohxa LLC has not received any reports of adverse events related to this recall.
- Patients who have the recalled senna syrup should contact their physician or health care provider if they have experienced any problems that may be related to using the recalled senna syrup.
- Anyone with an existing inventory of the recalled product should stop distribution and quarantine the product immediately.
- Contact Lohxa by phone at **1-800-641-5564** or by email at [info@loxha.com](mailto:info@loxha.com) for more information about the recall.



OptumRx® specializes in the delivery, clinical management and affordability of prescription medications and consumer health products. We are an Optum® company — a leading provider of integrated health services. Learn more at [optum.com](https://www.optum.com).

All Optum® trademarks and logos are owned by Optum, Inc. All other brand or product names are trademarks or registered marks of their respective owners.

This document contains information that is considered proprietary to OptumRx and should not be reproduced without the express written consent of OptumRx.

RxNews® is published by the OptumRx Clinical Services Department.

©2022 Optum, Inc. All rights reserved.