



Baxter – Recall of 0.9% sodium chloride injection and 5% dextrose injection

- On July 6, 2017, Baxter announced a consumer-level recall of one lot of [5% dextrose injection](#) and 4 lots of [0.9% sodium chloride injection](#) due to the potential presence of leaks.
- A leak of the solution bag may allow for delay or interruption of therapy, under-delivery, unintended drug exposure, and microbial contamination. If not detected, the use of a solution bag with a leak could lead to a bloodstream infection or other serious adverse health consequences.
 - To date, there have been no reports of adverse events associated with this issue for leaks.
- The recalled lots were distributed between April 4, 2017 and June 1, 2017.

Product Description	NDC #	Lot # (Expiration date)
5% Dextrose Injection, 100mL VIAFLEX Plastic Container Multi Pack	00338-0017-38	P361618 (9/30/2018)
0.9% Sodium Chloride Injection, 100 mL VIAFLEX Plastic Container	00338-0049-38	P361501 (9/30/2018), P361667 (9/30/2018), P361790 (9/30/2018)
0.9% Sodium Chloride Injection, 250 mL VIAFLEX Plastic Container	00338-0049-02	Y229153 (9/30/2018)

- Dextrose injection is indicated as a source of water and calories.
- Sodium chloride injection is indicated as a source of water and electrolytes and for use as a priming solution in hemodialysis procedures.
- Anyone with an existing inventory of the recalled lots should stop use and distribution, and return all recalled product.
- For questions about this recall, please contact the Baxter Healthcare Center for Service at **1-888-229-0001**.



OptumRx® specializes in the delivery, clinical management and affordability of prescription medications and consumer health products. We are an Optum® company — a leading provider of integrated health services. Learn more at optum.com.

All Optum® trademarks and logos are owned by Optum, Inc. All other brand or product names are trademarks or registered marks of their respective owners.

This document contains information that is considered proprietary to OptumRx and should not be reproduced without the express written consent of OptumRx.

RxNews® is published by the OptumRx Clinical Services Department.

©2017 Optum, Inc. All rights reserved.